





Product Catalogue

Architectural & Smart Lighting Solutions



Our Clients..



Our Certificates..

MSME Udyog Aadhaar
 Ministry of Micro, Small & Medium Enterprises
 Udyog Aadhaar Registration Certificate
 Udyog Aadhaar Number: UG19000008
 Name of Enterprise: GALAXY ARCHITECTURAL LIGHTING SOLUTIONS
 Location of Plant Details: Bypass Road, Barhalganj, Bihar, India
 Date of commencement: 04/02/2020
 Major Activity: MANUFACTURING
 Enterprise Type: Micro
 National Industry Classification Code: 35292
 Acknowledgment: 20/06/2020

BUREAU OF INDIAN STANDARDS
 License No: REP/REGISTRATION/2019-2020/0000177
 Date: 08-02-2020
 Manufacturer Name: Galaxy Architectural Lighting Solution
 Opposite Gajati Shakti Pooch Bypass Road, Barhalganj Gorakhpur 271402, galaxyarchitectural@gmail.com
 Product: 12ED luminaires for Road and Street Lighting
 IN ISO: IS 10322 (PART 1) SEC 1: 2012
 BRAND: STELLER LED
 MODEL: GA-100SL, GA-120SL, GA-150SL, GA-180SL, GA-200SL, GA-300SL, GA-400SL, GA-450SL, GA-480SL, GA-75SL, GA-100SL
 FACTORY ADDRESS: Opposite Gajati Shakti Pooch Bypass Road, Barhalganj Gorakhpur 271402

BHARTI AUTOMATION PVT. LTD.
 (A Testing Division)
TEST REPORT
 Issued To: Galaxy Architectural Lighting Solutions
 Sample Description: LED Street Light, Model: GALAXY ART Power: 50 watt,
 Date Of Receipt: 30/03/2020
 Date Of Reporting: 02/03/2020
 ID: 160830001
 Laboratory Temperature: 25±2°C
 Laboratory Humidity: 50±5 %
 Protocol: IEC 61006-3-2 / Customer Specification
 No. of Pages: 1

S.NO	TEST	RESULT	REQUIREMENT
1	Total Harmonic Distortion: %	5.965	10 (Max)
2	Surge Test: Test Condition: a) Applied Voltage: 10kV b) Pulse rate: 1:2:50us c) No. of surges in each polarity: 5 d) Total no of surges: 10	No functional abnormality observed after the test	Should be no abnormality on functioning

*****End Of The Test Report*****
 Authorised Signatory: Ashok Giri, Technical Manager
 NABL Accredited Testing Laboratory

Benefits of Galaxy Architectural Lighting Solutions



Energy Saving
 Highly efficient LEDs ensure saving up to 85%



Maintenance Free

Maintenance Free
 The highly efficient electronics driver ensure maintenance free and long service life



Compact & Sleek Design

Compact & Sleek design
 Elegantly designed fitting which ensure large stream of application office, Residences, Hotel, restaurant, Shopping Mall and hospitality



Eco Lighting Solution
 Led lighting is a pollution free solution without any mercury or lead contents



long life

Long Life
 The life of LED is 50,000 hrs. which make a perfect lighting solution as it ensure high energy saving with long service life



Dimmable Solutions
 steller LED offers you a full scope of solution from design to after-sale service including lighting, intelligent control system and many other options



Home Automation Solution
 Steller convert house into a smart house by giving control on your smartphone/ tablet and touch panels



Decorative Poles
 Steller offers a great variety of steel, aluminum and fiberglass decorative lighting poles and lamp posts



Recess mounted Square LED Down light in white powder coated extruded aluminum die-cast housing equipped with specially designed aluminum heat sink and energy efficient electronic driver.

Application areas: General Shops, Small Offices, Reception Area, Restaurants, Hospital Lobbies & Passages



MODEL: GASP-0101
SPOT LIGHT: 1W/3W LED
DIMENSION: 32x16(H)mm
CUTOUT SIZE: 25mm
COLOR: ALL COLOR



MODEL: GASP-0105
SPOT LIGHT: 1W/3W LED
DIMENSION: 35x20(H)mm
CUTOUT SIZE: 30mm
COLOR: ALL COLOR



MODEL: GASP-0103
SPOT LIGHT: 1W/3W LED
DIMENSION: 50x27(H)mm
CUTOUT SIZE: 42mm
COLOR: ALL COLOR

HENZE



MODEL: GASP-0201
SPOT LIGHT: 7W,12W,18W,24W LED
DIMENSION: 85x40/110X52/140X65/160X75mm
CUTOUT SIZE: 65/90/115/130mm
MOVABLE LIGHTS

IRIS



MODEL: GASP-0202
SPOT LIGHT: 7W/12W/18W LED
DIMENSION: 85x40/110X52/140X65mm
CUTOUT SIZE: 65/90/115mm
NON-MOVABLE LIGHTS

BRICK



MODEL: GASP-0203
SPOT LIGHT: 10W/12W/15W LED
DIMENSION: 85X80mm
CUTOUT SIZE: 76mm
NON-MOVABLE LIGHTS

RECESSED LED
SPOT LIGHT

Indoor Lighting

FLAVA



MODEL: GAHS-0301
SPOT LIGHT: 10W/12W/15W LED
DIMENSION: 90X110(H)MM
CUTOUT SIZE: 70mm/90mm
Narrow Beam Angle

NARROW



MODEL: GAHS-0302
SPOT LIGHT: 10W/12W/15W LED
DIMENSION: 90X110(H)MM
CUTOUT SIZE: 70mm/90mm
Narrow Beam Angle

SLEEK



MODEL: GAHS-0303
SPOT LIGHT: 10W/12W/15W LED
DIMENSION: 90X110(H)MM
CUTOUT SIZE: 70mm/90mm
Narrow Beam Angle

DEZIRE



MODEL: GAAM-0304
SPOT LIGHT: 10W/12W/15W LED
DIMENSION: 80X45(H),100X55(H)MM
CUTOUT SIZE: 70/70/85MM
BEAM ANGLE:36*
NON-MOVABLE

SOLIC



MODEL: GAAM-0305
SPOT LIGHT: 10W/12W/15W LED
DIMENSION: 85X85(H)MM
CUTOUT SIZE: 75MM
BEAM ANGLE:36*
NON-MOVABLE

GLAZER



MODEL: GAMK-0306
SPOT LIGHT: 17W/12W/15W LED
DIMENSION: 70X65(H)/85X65(H)MM
CUTOUT SIZE: 60MM/75mm
BEAM ANGLE:36*
NON-MOVABLE

SONIC



MODEL: GAAM-0307
SPOT LIGHT: 7W/12W/15W LED
DIMENSION: 60X65(H),85X80(H)MM
CUTOUT SIZE: 52/75MM
BEAM ANGLE:36*
NON-MOVABLE

DELIGHT



MODEL:GAAM-0308
SPOT LIGHT: 7W/12W/15W LED
DIMENSION: 60X60(H)/85X75(H)MM
CUTOUT SIZE: 52/75MM
BEAM ANGLE:36*
NON-MOVABLE

IGNIT



MODEL:GAAM-0309
SPOT LIGHT: 7W/12W/15W LED
DIMENSION: 70X65(H)MM/105X95(H)MM
CUTOUT SIZE: 65/95MM
BEAM ANGLE:36*
MOVABLE

Indoor Lighting

RECESSED LED
SPOT LIGHT

TRIMM



MODEL: GANB-0401
SPOT LIGHT: 7W/12W/15W LED
DIMENSION: 60X60(H),80X80(H)MM
CUTOUT SIZE: 75/100MM
BEAM ANGLE:36*
TRIMLESS

ORBIT



MODEL:GALT-0402
SPOT LIGHT: 7W/12W LED
DIMENSION: 95X65(H)MM
CUTOUT SIZE: 85MM
BEAM ANGLE:24*
MOVABLE

DEVINE



MODEL: GARY-0403
SPOT LIGHT: 10W/15W LED
DIMENSION: 84X87(H)/100X117(H)MM
CUTOUT SIZE: 75MM/92MM
BEAM ANGLE:24*
360* ROTATE

HECTOR



MODEL: GASP-0204
SPOT LIGHT: 10W/12W/15W LED
DIMENSION: 100X92mm
CUTOUT SIZE: 90mm
MOVABLE LIGHTS

CRUSE



MODEL: GASP-0205
SPOT LIGHT: 7W/12W/15W LED
LED COLOR: CW/WW/NW
DIMENSION: 85X80mm/ 100X90MM
CUTOUT SIZE: 70mm/90mm
MOVABLE LIGHTS

DUKE



MODEL: GASP-0206
SPOT LIGHT: 10W/12W/15W LED
DIMENSION: 75X70mm
CUTOUT SIZE: 110mm
WITH LENSE

ZOOM



MODEL: GALT-0404S
SPOT LIGHT: 20W/30W LED
DIMENSION: 140X140(H),170X170(H)MM
CUTOUT SIZE: 130X130/145X145MM
BEAM ANGLE:36*
ZOOM LIGHT

RAPID



MODEL: GALT-0405R
SPOT LIGHT: 20W/30W LED
DIMENSION: 140X95(H)/190X120(H)MM
CUTOUT SIZE: 130/170MM
BEAM ANGLE:36*
ZOOM LIGHT 360* ROTATE

EXOTIC



MODEL: GALT-0406
SPOT LIGHT: 10W/20W /30WLED
DIMENSION: 90X67(H)/110X90(H)MM
CUTOUT SIZE: 70/90MM
BEAM ANGLE:36*
MOVABLE WITH LENSE

RECESSED LED
SPOT LIGHT

Indoor Lighting

ARCK



MODEL: GAAM-0601S
SPOT LIGHT: 10W,12W,15W LED
OUTER SIZE: 70X70mmX85MM(H)
CUTOUT SIZE: 62X62mm
BEAM ANGLE:36*



MODEL: GAAM-0602R
SPOT LIGHT: 10W,12W,15W LED
OUTER SIZE: 70mmX85MM(H)
CUTOUT SIZE: 62mm
BEAM ANGLE:36*

STELO



MODEL: GASP-0603
SPOT LIGHT: 7W,12W,18W,24W LED
DIMENSION: 85x40/110X52/140X65/160X75mm
CUTOUT SIZE: 65/90/115/130mm

ADMIRE



GOLDEN
REFLECTOR



COPPER
REFLECTOR



CHROME
REFLECTOR


MODEL: GAAM-0701R
SPOT LIGHT: 10/15W LED
DIMENSION: 80X45(H)/100X55(H)MM
CUTOUT SIZE: 70/85MM
BEAM ANGLE:36*



GOLDEN
REFLECTOR



COPPER
REFLECTOR



SILVER BLACK
REFLECTOR

MODEL:GAAM-0702S
SPOT LIGHT: 10W/15W LED
DIMENSION: 80X80X55(H)MM
CUTOUT SIZE: 70X70MM
BEAM ANGLE:36*

Indoor Lighting


RECESSED LED
SPOT LIGHT

UNIQUE



MODEL: GALM-0801R
SPOT LIGHT: 17W,12W,15W LED
OUTER SIZE: 45X80(H)/65X80(H)MM
CUTOUT SIZE: 48/58mm
BEAM ANGLE:36*
TRIMLEES FRAME

MEKAR



MODEL: GALM-0802 (SQUIRE & ROUND)
SPOT LIGHT: 10W,12W,15W LED
DIMENSION: 85X45/75X74X45MM
CUTOUT SIZE: 85/74X74mm
BEAM ANGLE:36*
MR16 TRIMLESS FRAME

CORVI



BLACK & COPPPF



WHITE



BLACK & SILVER

MODEL:GALM-0901R
SPOT LIGHT: 10W,12W,15W LED
OUTER SIZE: 80mmX85MM(H)
CUTOUT SIZE: 78mm
BEAM ANGLE:36*
WITH CROME



WHITE & BLACK



WHITE & COPPER

RECESSED LED
DOWN LIGHT

Indoor Lighting



MODEL: GASPL:0101R
SLIM PANEL LIGHT: 6W,12W,15W,18W
OUTER SIZE: 110/170/220MM
CUTOUT SIZE:100/155/205MM
HEIGHT:12MM



MODEL: GASPL:0102S
SLIM PANEL LIGHT: 6W,12W,15W,18W
OUTER SIZE: 110X110/170X170/220X220MM
CUTOUT SIZE:100X100/155X155/205X205MM
HEIGHT:12MM



MODEL: GATRM:0102R
SLIM PANEL LIGHT: 9W,15W,24W
OUTER SIZE: 120/170/205MM
CUTOUT SIZE:100/155/195MM
HEIGHT:12MM (TRIMLESS PANEL)



MODEL: GADDL:0103R
DEEP DOWN LIGHT: 6W,9W,15W,24W
OUTER SIZE: 110/145/170MM
CUTOUT SIZE:100/135/160MM
HEIGHT:12MM (TRIMLESS)



MODEL: GADDL:0203S
DEEP DOWN LIGHT: 6W,9W,15W,24W
OUT SIZE:110X110/145X145/170X170MM
CUTOUT SIZE:100/145/160MM
HEIGHT:12MM (TRIMLESS)



MODEL: GATRM:0202S
SLIM PANEL LIGHT: 9W,15W,24W
OUT SIZE:120X120/170X170/205X205MM
CUTOUT SIZE:100/155/195MM
HEIGHT:12MM (TRIMLESS PANEL)



MODEL: STSPL-2401
SLIME PANEL LIGHT: 24LED
LED COLOR: 3000K/4200K/6500K
DIMENSION: 590X590mm
HIGHT: 12mm
BEAM ANGLE: 120




MODEL: STSPL-3601,4001,4801
SLIM PANEL LIGHT: 36W,40W,48W LED
LED COLOR: 3000K/4200K/6500K
DIMENSION: 590X590mm
HIGHT: 12mm
BEAM ANGLE: 120



MODEL: STSPL-3602,4002,4802
SLIM PANEL LIGHT: 36W,40W,48W LED
LED COLOR: 3000K/4200K/6500K
DIMENSION: 1190X290mm
HIGHT: 12mm
BEAM ANGLE: 120



THUNDER



MODEL: GACB=0102S
SLIM PANEL LIGHT: 3W/5W/10W,,20W
OUTER SIZE:54X45/75X45/106X45/148X45/280X45MM
CUTOUT SIZE:35X35/42X35/93X35/138X35/270X35MM
BEAM ANGLE:24*

Indoor Lighting

LED TUBE LIGHT



MODEL: GAAL-TLT8
 TUBE LIGHT: 10W,18W,20W LED
 LENGTH SIZE: 2FT/4FT
 BEAM ANGLE:180*
 BODY:ALUMINIUM
 :

MODEL:GAAL-TLT5
 TUBE LIGHT: 10W,18W,20W LED
 LENGTH SIZE: 2FT/4FT
 BEAM ANGLE:180*
 BODY:ALUMINIUM
 SHAPE:SQUIRE/ROUND

MODEL: GAPL-TLT5
 TUBE LIGHT: 10W,18W,20W LED
 LENGTH SIZE: 2FT/4FT
 BEAM ANGLE:180*
 BODY:PLASTIC
 SHAPE:SQUIRE/ROUND

LED SURFACE MOUNT LIGHT



MODEL: GASM:0902S
 SURFACE MOUNT LIGHT: 6W,12W,15W,18W
 OUTER SIZE: 110X110/170X170/220X220MM
 BEAM ANGLE:120*



MODEL: GASM:0902R
 SURFACE MOUNT LIGHT: 6W,12W,18W
 OUTER SIZE: 110/170/220MM
 BEAM ANGLE:120*



MODEL: GAGS-SM01R
 SURFACE SPOT LIGHT: 10W,12W,15W
 BEAM ANGLE:36*
 360*ROTATE



MODEL: GAGS-1001R
 SPOT LIGHT: 10W,12W,15W LED
 LENGTH SIZE: 300MM(L)
 DIA SIZE: 30mm
 BEAM ANGLE:36*
 BODY COLOR:BLACK /WHITE



MODEL: GAAM-CL03
 SURFACE SPOT LIGHT: 7W/12W18W LED
 OUTER SIZE: 80X150(H)X80X180(H)MM
 BEAM ANGLE:44*
 MOVABLE SURFACE




MODEL: GAAM-CL01R
 SURFACE SPOT LIGHT: 7W/12W18W LED
 OUTER SIZE: 80X110(H)X80X150(H)MM
 BEAM ANGLE:44*
 BLACK & COPPER

LED REMOTE CONTROLLER



Simplified Intelligent Lighting



- High Efficiency , Flicker Free
- Communication Protocol : RF 2.4G
- Controllable Distance : > 30 Meters (Without Obstacle)
- Control Method : Remote Controller
- Dimming Range : 10%-100%
- One Output : Dimmable Driver
- Two Output : Dimmable & Color- temp Adjustable Driver
- Controllable Groups : Up to 99 Groups (99 lights in each Group)

LED BULB



MODEL: GALB0.5
LED BULB-0.5W
CCT: ALL COLOR
POWER FACTOR: >0.5

MODEL: GALB5
LED BULB-5W
LUMEN: 100LM/W
CCT: CW/WW/NW
POWER FACTOR: >0.9

MODEL: GALB7
LED BULB-7W
LUMEN: 100LM/W
CCT: CW/WW/NW
POWER FACTOR: >0.9

MODEL: GALB9
LED BULB-9W
LUMEN: 100LM/W
CCT: CW/WW/NW
POWER FACTOR: >0.9

MODEL: GALB12
LED BULB-12W
LUMEN: 100LM/W
CCT: CW/WW/NW
POWER FACTOR: >0.9



BUTTON



MINI

MODEL: GACBPCP1
COB LIGHT: 1W
DIMENSION: 42X32MM
HEIGHT: 13MM

MODEL: GABL-0602
BOLLARD LIGHT: 3W
DIMENSION: 79X39MM
HEIGHT: 30MM



SHINE



JOY

MODEL: GACLD-0101
CONCELED LIGHT: 6W/9W
DIMENSION: 112X65MM
CUTOUT SIZE: 75MM

MODEL: GACLD-0201
CONCELED LIGHT: 6W/9W
DIMENSION: 112X70MM
CUTOUT SIZE: 90MM



GLORY

UNIVERSAL
CONCEALED & SURFACE



MODEL: GACLD-0401
CONCELED LIGHT: 6W/9W/12W/16W
DIMENSION: 85X65MM/110X55MM
CUTOUT SIZE: 45MM/80MM

MODEL: GAUVL-0101
CONCEALED & SURFACE LIGHT: 6W/12W
DIMENSION: 115X50/
CUTOUT: 60MM

LED DOWN LIGHT
PLASTIC SERIES

Indoor Lighting

PC-SERIES



MODEL: GABCLPC01R
BACKLIT PANEL LIGHT: 3W/6W/12W/18W
CUTOUT DIA:2.5/4.0/6.0/8.0 INCH
HEIGHT: 1INCH



MODEL: GABCLPC02S
BACKLIT PANEL LIGHT: 3W/6W/12W/18W
CUTOUT DIA:2.5/4.0/6.0/8.0 INCH
HEIGHT: 1INCH

GLAIRE



MODEL: GACLD-0301
CONCELLED LIGHT: 6W/9W
DIMENSION: 112X65MM
CUTOUT SIZE: 75MM



MODEL: GABL-0604/0904
SURFACE MOUNT LIGHT: 6W/9W/12W/18W
BODY TYPE:POLY CARBONATE

SM-SERIES



MODEL: GASMLPCR
SURFACE MOUNT LIGHT: 6W/10W/15W
BODY TYPE:POLY CARBONATE



MODEL: GASMLPCS
SURFACE MOUNT LIGHT: 6W/10W/15W
BODY TYPE:POLY CARBONATE

Indoor Lighting

LED TRACK LIGHT



MODEL: GAHS-TR01
 TRACK LIGHT: 10W/20W/30W LED
 BEAM ANGLE: 60° WITH LENS
 BODY COLOR: BLACK & WHITE



MODEL: GAHS-TR02
 TRACK LIGHT : 10W/20W/30W LED
 BEAM ANGLE: 60°
 BODY COLOR: BLACK & WHITE



MODEL: GAHS-TR03
 WATTAGE: 10W,20W,30W LED
 BEAM ANGLE: 38° WITH LENS
 BODY COLOR: BLACK & WHITE



MODEL: GALM-TR04
 TRACK LIGHT: 10W,20W/30W LED
 BEAM ANGLE: 15-60° ADJUSTABLE
 BODY TYPE: BLACK & WHITE



MODEL: GAGS-TR05
 TRACK LIGHT: 10W,20W/30W LED
 BEAM ANGLE: 60° ADJUSTABLE
 BODY TYPE: BLACK & WHITE



MODEL: GATRF:W01,B01
 TRACK LIGHT FITTING
 LENGTH: 1 & 2 MTR
 BODY :ALUMINIUM
 COLOR: WHITE & BLACK



MODEL: GATRJ:W01/B02
 TRACK FITTING JOINTER
 BODY COLOR: WHITE & BLACK



LED COVE LIGHT

MODEL: GASMD-01/02

VOLTAGE:12VDC
WATTAGE: 4.8W/9.6W LED
CHIP SIZE:3528
LED QTY:60LED/120LED
LED COLOR:RED/GREEN/BLUE/WW/CW/NW
VIEWING BEAM ANGLE: 120°
IP RATING:20/65/68
SIZE-5000X10MM

MODEL: GASMD-03/04

VOLTAGE:12VDC
WATTAGE: 7.2W /14.5LED
CHIP SIZE:5050
LED QTY:30LED/60LED
LED COLOR:RED/GREEN/BLUE/WW/CW/NW
VIEWING BEAM ANGLE: 120°
IP RATING:20/65/68
SIZE-5000X10MM



MODEL: GASMD-05/06

VOLTAGE:12V
WATTAGE: 8W /16W LED
CHIP SIZE:5630
LED QTY:30LED/60LED
LED COLOR:RED/GREEN/BLUE/WW/CW/NW
VIEWING BEAM ANGLE: 120°
IP RATING:20/65/68
SIZE-5000X10MM

MODEL: GASMD-07/08/09/10

VOLTAGE:12V/24V
WATTAGE: 6W/12W/18W/24WLED
CHIP SIZE:2835
LED QTY:60/120/180/240LED
LED COLOR:RED/GREEN/BLUE/WW/CW/NW
VIEWING BEAM ANGLE: 120°
IP RATING:20/65/68
SIZE-5000X10MM



MODEL: GASMD-11/12(ROPE LIGHT)

INPUT VOLTAGE-220V
WATTAGE: 6W/9W LED
CHIP SIZE:5630/5050
LED COLOR:WW/CW/NW
VIEWING BEAM ANGLE: 120°
IP RATING:65/68
SIZE-20/30/50MTR

MODEL: GASMD-13/14 (NEON FLEX)

INPUT VOLTAGE:220V
WATTAGE: 6W/9W LED
CHIP SIZE:5630/5050
LED COLOR:WW/CW/NW
VIEWING BEAM ANGLE: 120°
IP RATING:65/68
SIZE-20MTR/30MTR/50MTR



LED COVE DRIVER

MODEL: GADR-0501/1001/1501/2001

WATTAGE: 60/120/180/240W LED
INPUT VOLTAGE:220V
OUTPUT VOLTAGE:12V/24V
CURRENT: 5/10/15/20 AMP
IP:20 (NON-WATERPROOF)

MODEL: STDR-0502/1002/1502/2002

WATTAGE: 60/120/180/240W LED
INPUT VOLTAGE:220V
OUTPUT VOLTAGE:12V/24V
CURRENT: 5/10/15/20 AMP
IP:60 (WATERPROOF)



Outdoor Lighting


LED WALL LIGHT



MODEL: GAWL-0913 (2WAY)
 TRIANGLE 2 WAY WALL LIGHT: 9W
 DISTANCE FROM WALL:61MM
 HEIGHT: 174MM



MODEL: GAWL-0614/0913 (2WAY)
 2WAY WALL LIGHT: 6W/9W
 DISTANCE FROM WALL:50MM
 HEIGHT: 80MM




MODEL: GAWL-0615 (ADJUSTABLE 2 WAY)
 CUBIC 2WAY WALL LIGHT: 9W
 DISTANCE FROM WALL:100MM
 HEIGHT: 100MM



MODEL: GAWL-0316/0616/1216 (2WAY)
 WALL LIGHT: 3W/6W/12W
 DISTANCE FROM WALL:90/90MM
 HEIGHT: 80/150MM



MODEL: GAWL-0417 (4WAY)
 4WAY WALL LIGHT: 4W
 DISTANCE FROM WALL:54MM
 HEIGHT: 75MM,DIA:65MM



MODEL:GAWL-0218 (2WAY)
 2WAY WALL LIGHT: 2W
 DISTANCE FROM WALL:45MM
 DIA: 86MM

LED BOLLARD
LIGHT

Outdoor Lighting



MODEL: GABL-0601/0901
BOLLARD LIGHT: 6W/9W
DIMENSION: 108X108mm
HEIGHT: 650mm



MODEL: GABL-0602
BOLLARD LIGHT: 6W/9W
DIMENSION: 108X108mm
HEIGHT: 600mm



MODEL: GABL-0603/0903
BOLLARD LIGHT: 6W/9W
DIMENSION: 90mm
CUTOUT SIZE: 650mm



MODEL: GABL-0604/0904
BOLLARD LIGHT: 6W/9W
DIMENSION: 90mm
CUTOUT SIZE: 650mm



MODEL: GABL-0605/0905
BOLLARD LIGHT: 6W/9W
DIMENSION: 70X70mm
HEIGHT: 500mm



MODEL: GABL-0606/0906
BOLLARD LIGHT: 6W/9W
DIMENSION: 140mm
HEIGHT: 500mm

Outdoor Lighting


LED WALL LIGHT



MODEL: GAWL-0301/0601
 WALL LIGHT: 3W/3X2W
 DISTANCE FROM WALL: 50MM
 HEIGHT: 100/150MM



MODEL: GAWL-0302/0602 (4WAY)
 WALL LIGHT: 3W/3X2W
 DIA: 65MM, HEIGHT: 75MM
 HEIGHT: 55MM




MODEL: GAWL-0303/0603 (2WAY)
 SURFACE WALL LIGHT: 3W/06
 DISTANCE FROM WALL: 130MM
 HEIGHT: 150X55MM/220X55MM



MODEL: GAWL-0404/0604
 SURFACE WALL LIGHT: 4W/6W
 DISTANCE FROM WALL: 40MM
 HEIGHT: 90X60MM/150X60MM



MODEL: GAWL-1205R/1205S (4WAY)
 4WAY WALL LIGHT: 12W
 DISTANCE FROM WALL: 50MM
 DIMENSION: 100X100MM
 SHAPE: ROUND & SQUARE
 WITHOUT LENS



MODEL: GAWL-1206R/1206S (4WAY)
 4WAY WALL LIGHT: 12W
 DISTANCE FROM WALL: 50MM
 DIMENSION: 100X100MM
 SHAPE: ROUND & SQUARE
 WITH LENS

LED WALL
LIGHT



MODEL: STWL-0619 (2WAY)
SLEEK NARROW WALL LIGHT: 2X3W
DISTANCE FROM WALL:60MM
LENGTH: 120MM

Outdoor Lighting



MODEL: STWL-0320 (1WAY)
SLEEK NARROW WALL LIGHT: 3W
DISTANCE FROM WALL:60MM
LENGTH: 85MM



MODEL: STWL-1221 (2WAY)
WALL LIGHT: 12W
DISTANCE FROM WALL:84MM
HEIGHT: 96MM



MODEL: STWL-0322/0622 (1&2 WAY)
CRISP WALL LIGHT: 3W/6W
DISTANCE FROM WALL:80MM
HEIGHT: 40MM



MODEL: STWL-0623 (2WAY)
WALL LIGHT: 2W
DISTANCE FROM WALL:50MM
HEIGHT: 190MM



MODEL: STWL-0624
CONCEAL WALL LIGHT: 6W
OUTER SIZE:95MMX160MM
CUTOUT: 80X130MM
DEPTH:70MM

Outdoor Lighting

LED WALL LIGHT



MODEL: GAWL-TR01 (2WAY)

CYLINDER WALL LIGHT: 6W/12W/18W/30W
 DISTANCE FROM WALL: 80MM/80MM/100MM/143MM
 DIA: 60MM/60MM/80MM/80MM
 HEIGHT: 75MM/125MM/185MM/157MM

MODEL: GAWL-0326/0626 (1&2 WAY)

K SHAPE WALL LIGHT: 3W/6W
 DISTANCE FROM WALL: 65MM/65MM
 HEIGHT: 75MM/150MM



MODEL: GAWL-0627 (2WAY)

TRIANGLE WALL LIGHT: 6W
 DISTANCE FROM WALL: 61MM
 HEIGHT: 174MM

MODEL: GAWL-0628 (2WAY)

WALL LIGHT: 9W
 DISTANCE FROM WALL: 60MM
 HEIGHT: 120MM



MODEL: GAWL-0529/1030 (2WAY)

CRISP WALL LIGHT: 5W/10W
 DISTANCE FROM WALL: 90MM/90MM
 HEIGHT: 80MM/150MM

MODEL: GAWL-0530/1030


RECTANGLE WALL LIGHT: 3W (1WAY)/6W(2WAY)
 DISTANCE FROM WALL: 90MM
 HEIGHT: 80MM/150MM

LED SPIKE
LIGHT



MODEL: GASPK-0101
SPIKE LIGHT: 6W/9W/12W/15W/20W
COLOR: CW/WW/NW/R/G/B
WITH BASE

Outdoor Lighting



MODEL: GASPK-0102
SPIKE LIGHT: 6W/12W
COLOR: CW/WW/NW
WITH BASE



MODEL: GASPK-0103
SPIKE LIGHT: 6W/9W/12W/15W/20W
COLOR: CW/WW/NW/R/G/B
WITH BASE



MODEL: GASPK-0104
SPIKE LIGHT: 8W
COLOR: CW/WW/NW
WITH BASE



MODEL: GASPK-0305/0805
SPIKE LIGHT: 3W/8W
COLOR: CW/WW/NW
WITH HOOD (SPECIAL FOR PILLAR)



MODEL: GASPK-0906/1006
HEAVY SPIKE LIGHT: 9W/10W
COLOR: CW/WW/NW/R/G/B
WITH HOOD

Outdoor Lighting

LED BURIAL/ UNDERWATER LIGHT



MODEL: GABL-0101/0102
 BOLLARD LIGHT: 1W
 LED COLOR: CW/NW/WW/R/G/B
 DIA: 33MM/45MM, CUTOUT: 31MM/35MM
 HEIGHT: 70MM/45MM

MODEL: GABL-0303/0304
 BOLLARD LIGHT: 3W
 LED COLOR: CW/NW/WW/R/G/B
 DIA: 45MM/85MM, CUTOUT: 35MM/65MM
 HEIGHT: 45MM/70MM



MODEL: GABL-0605/0805/1205
 BOLLARD LIGHT: 6W/8W/12W
 LED COLOR: WW/NW/CW/R/G/B/RGBW
 DIA: 87MM/85MM/110MM,
 HEIGHT: 90MM/70MM/110MM
 CUTOUT SIZE: 70MM/65MM/90MM

MODEL: GABL-0606/0806/1206
 BOLLARD LIGHT: 6W/8W/12W
 LED COLOR: WW/NW/CW/R/G/B/RGBW
 DIA: 87MM/85MM/110MM,
 HEIGHT: 90MM/70MM/110MM
 CUTOUT SIZE: 70MM/65MM/90MM

LED PATH LIGHT



MODEL: GAPTL-0404 (4WAY)
 PATH LIGHT: 4W
 DIA: 87MM, HEIGHT: 71MM
 CUTOUT SIZE: 71MM

MODEL: GAPTL-0201/0202/0403 (1,2&3WAY)
 PATH LIGHT: 2W/2W/4W
 DIA: 85MM, HEIGHT: 71MM
 CUTOUT SIZE: 71MM

LED FLOOD LIGHT



MODEL:GAFAL-3001/5001/10001/15001/20001/30001
FLOOD LIGHT: 30W/50W/100W/150W/200W/300W
LED TYPE:SMD (WITH GLASS)
BODY TYPE:ALUMINIUM DAI CAST

Outdoor Lighting



MODEL:GAFAL-3002/5002/10002/15002/20002/30002
FLOOD LIGHT: 30W/50W/100W/150W/200W/300W
LED TYPE:SMD,(GLASS WITH FRAME)
BODY TYPE:ALUMINIUM DAI CAST



MODEL:GAFAL-3003/5003/10003/20003
FLOOD LIGHT: 30W/50W/100W/200W
LED TYPE:SMD,WITH LENSE
BODY TYPE:ALUMINIUM DAI CAST



MODEL:GAFAL-3004/5004/10004/20004
FLOOD LIGHT: 30W/50W/100W/200W
LED TYPE:SMD,(WITH FRAME)
BODY TYPE:ALUMINIUM DAI CAST




MODEL:GAFDL-3005/5005/10005
FLOOD LIGHT: 30W/50W/100W
LED TYPE:SMD
BODY TYPE:ALUMINIUM DAI CAST





MODEL:GAFAL-3006/5006/10006/20006
FLOOD LIGHT: 30W/50W/100W/200W
LED TYPE:SMD,WITH REFLECTOR
BODY TYPE:ALUMINIUM DAI CAST

LED FLOOD LIGHT



Model: GAFL-DL90/150/300
FLOOD LIGHT: 90W/150W/300W

Model: GAFL-DL60/100/200
FLOOD LIGHT: 60W/100W/200W



Model: GAFL-DL180/200/300
FLOOD LIGHT: 180W/200W/300W
LED TYPE:SMD
BODY TYPE:ALUMINIUM DAI CAST

Model: GAFL-DL120/200
FLOOD LIGHT: 120W/200W
LED TYPE:SMD
BODY TYPE:ALUMINIUM DAI CAST

LED FLAMEPROOF LIGHT



Model: GAFL-FA50/FA100/FA150/FA200
FLAME PROOF LIGHT: 50W/100W/150/200W
LED TYPE:COB (FIRE PROOF)
BODY TYPE:ALUMINIUM DAI CAST

Model: GAFL-FA50/FA100/FA150
FLAME PROOF LIGHT: 50W/100W/150W
LED TYPE:COB (FIRE PROOF)
BODY TYPE:ALUMINIUM DAI CAST

Model: GAFL-FA50/FA100/FA150/FA200
FLAME PROOF LIGHT: 50W/100W/150/200W
LED TYPE:SMD (FIRE PROOF)
BODY TYPE:ALUMINIUM DAI CAST

LED STREET
LIGHT

Outdoor Lighting



MODEL:GASL2401/5001/10001
STREET LIGHT:24W/50W/100W
LED TYPE:SMD,IP:66
BODY COLOR: GRAY/BLACK



MODEL:GASL2402/5002/10002/15002
STREET LIGHT:24W/50W/100W/150W
LED TYPE:SMD,IP:66
BODY COLOR: GRAY/BLACK



MODEL:GASL2403/5003/10003/15003
STREET LIGHT:24W/50W/100W/150W
LED TYPE:SMD,IP:66
BODY COLOR: GRAY/BLACK/WHITE



MODEL:GASL3004/50004/10004
STREET LIGHT:30W/50W/100W/150W
LED TYPE:COB
IP:66 BODY COLOR: GRAY/BLACK



MODEL:GASL1205/2405/5005
STREET LIGHT:12W/24W/50W
LED TYPE:SMD
IP:66 BODY COLOR: GRAY/BLACK



MODEL:GASL3006/5006/10006
STREET LIGHT:30W/50W/100W
LED TYPE:SMD
IP:66 BODY COLOR: GRAY/BLACK



Outdoor Lighting

LED FACADE LIGHT



MODEL: GA-FCR9
FACADE LIGHT: 9W
LED COLOR: WW/CW/NW/R/G/B
DIMENSION: 130x90mm
BEAM ANGLE: 24,36,48deg
IP:66 BODY COLOR: Gray



MODEL: GA-FCR18
FACADE LIGHT: 18W
LED COLOR: WW/CW/NW/R/G/B
DIMENSION: 180x90mm
BEAM ANGLE: 24,36,48deg
IP:66 BODY COLOR: Gray



MODEL: GA-FCR24
FACADE LIGHT: 24W
LED COLOR: WW/CW/NW/R/G/B
DIMENSION: 230x100mm
BEAM ANGLE: 24,36,48deg
IP:66 BODY COLOR: Gray



MODEL: GA-FCR4S
FACADE LIGHT: 4W
LED COLOR: 3000K/4200K/6500K
DIMENSION: 100x65x65mm
BEAM ANGLE: 24,36,48deg
IP:66 BODY COLOR: Gray



MODEL: GA-FCR9S
FACADE LIGHT: 9W
LED COLOR: 3000K/4200K/6500K
DIMENSION: 130x110x48mm
BEAM ANGLE: 24,36,48deg
IP:66 BODY COLOR: Gray



MODEL: GA-FCR16S
FACADE LIGHT: 16W
LED COLOR: 3000K/4200K/6500K
DIMENSION: 190x125x125mm
BEAM ANGLE: 24,36,48deg
IP:66 BODY COLOR: Gray



**LED Highbay
Light**

Industrial Lighting



MODEL: GABL-3001/5001/10001/15001/20001
 HIGHBAY LIGHT: 30/50/100/150/200W
 LED TYPE: COB, IP:66
 BODY COLOR: GRAY/BLACK

MODEL: GABL-5002/10002/15002/20002
 HIGHBAY LIGHT: 50/100/150/200W
 LED TYPE: COB, IP:66
 BODY COLOR: GRAY/BLACK
 (MULTIPLE LED)



MODEL: GAUFO-5003/10003/15003/20003
 UFO BAY LIGHT: 50/100/150/200W
 LED TYPE: COB, IP:66
 BODY COLOR: GRAY/BLACK
 (MULTIPLE LED)

MODEL: GALBL-3004/4004/50004
 LOWBAY LIGHT: 30/40/50W
 LED TYPE: COB, IP:66
 BODY COLOR: GRAY/BLACK
 (MULTIPLE LED)

**LED Wallwasher
Light**



MODEL: GAWW-RH18/RH24/RH36
 WALL WASHER LIGHT: 18W, 24W
 LED COLOR: WW/CW/NW/R/G/B

MODEL: GAWW-RG18/24RG/RG36
 WALL WASHER LIGHT: 18W, 24W, 36W
 LED COLOR: WW/CW/NW/R/G/B

Solar Lighting

LED SOLAR
STREET LIGHT



MODEL: GADDL-1201/2401/3601
SOLAR STREET LIGHT: 12,24,36W
LED TYPE: MULTIPLE
IP:66 BODY COLOR: GRAY/BLACK



MODEL: GASLL-1202/2402/3602
SOLAR STREET LIGHT: 12,24,36W
LED TYPE: MULTIPLE (SEMI INEGRETED)
IP:66 BODY COLOR: GRAY/BLACK



MODEL: GAAIOL-1203/2403/3603
SOLAR STREET LIGHT: 12,24,36W
LED TYPE: MULTIPLE (ALL IN ONE)
IP:66 BODY COLOR: GRAY/BLACK

Led TV

Deals Other Product

Led Smart TV Warranty 3 Year



Minimum Order Quantity-20Pcs On Request

Inches	Product Quality
24"	Smart Led Tv Full HD
32"	Smart Led Tv Full HD
32"	Smart Led Tv Smart 512
32"	Smart Led Tv Smart 1+8
40"	Non Smart Led Tv Smart
40"	Smart Led Tv Smart 512
40"	Smart Led Tv Smart 1+8
43"	Smart Led Tv Smart 1+8
50"	Smart Led Tv Smart 1+8
55"	Smart Led Tv Smart 1+8
65"	Smart Led Tv Smart 1+8

Fan



Table Fan,Celing Fan,Fancy Celing Fan,Wall Fan
Stand Fan,Exaust Fan With 2 Year Warranty

Minimum Order Quantity-50Pcs On Request

Galaxy Architectural Lighting Solutions

Office-Opposite Gaytri Shakti Peeth Bypass Road
Barhalganj Gorkhpur 274202 (U.P) India

Email Id-galaxyarchitectural@gmail.com

Website-www.galaxyart.co.in

Mob No-07042237533,07905981365

Helpline-Customercare@galaxyart.in